

## Safety Data Sheet

### According to Regulation (EU) 2015/830

#### **IMPORTANT**

Read this MSDS before handling and disposing of this product and pass this information on to employees, customers and users of this product.

#### **1. IDENTIFICATION**

##### **1.1 Product Identifier**

Product Name	Connect+
--------------	----------

##### **1.2 Relevant identified uses of the substance of mixture and uses advised against**

Product Use	(SU22) professional uses: Public domain (administration, education, entertainment, services, craftsmen); (SU20) Health services;
Restricted Use	(SU21) Consumer Uses: Private households (=general public = consumers);
Description	Dental Product

##### **1.3 Supplier of the Safety Data Sheet**

Company Name	Perfection Plus Ltd
Company Address	6 Westwood Court, Brunel Road, Totton, Hants. SO40 3WX. UK
Company Phone No.	+44 (0) 2380 866 677
Website	www.perfectionplus.com
Telephone	0044 (0) 2380 866677
Email	Regulatory@perfectionplus.com
Email address of Competent Person	Regulatory@perfectionplus.com

##### **1.4 Emergency telephone number**


Emergency telephone number	0044 (0) 230 866 677 (8am – 5pm Monday to Friday)
----------------------------	--

#### **2. HAZARDS IDENTIFICATION**

##### **2.1 Classification of the substance or mixture**

2.1.2. Classification - EC 1272/2008	Skin Corr. 1C: H314; Skin Sens. 1: H317; STOT SE 3: H335; Muta. 2: H341; Carc. 1B: H350; Repr. 1A: H360; STOT RE 2: H373; Aquatic Chronic 3: H412;
--------------------------------------	--

##### **2.2 Label Elements**

Hazard Pictograms	
Signal Word	Danger
Hazard Statement	Skin Corr. 1C: H314 – Causes severe skin burns and eye damage. Skin Sens. 1: H317 – May cause an allergic skin reaction. STOT SE 3: H335 – May cause respiratory irritation. Muta. 2: H341 – Suspected of causing genetic defects. Carc. 1B: H350 – may cause cancer. Repr. 1A: H360 – may damage fertility or the unborn child. STOT RE 2: H373 – may cause damage to organs through prolonged or repeated exposure. Aquatic Chronic 3: H 412 – Harmful to aquatic life with long lasting effects.
Precautionary Statement: Prevention	P280 – Wear protective gloves/protective clothing/ eye protection/face protection.
Precautionary Statement: Response	P302+P352 – IF ON SKIN: Wash with plenty of water/. P304+P340 – IF INHALED: remove person to fresh air and keep comfortable for breathing. P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 – If skin irritation or rash occurs: Get medical advice/attention.

	P337+P313 - If eye irritation persists: Get medical advice/attention.
--	---

### 2.3 Other hazards

Other hazards	PBT. vPvB. Not applicable.
---------------	----------------------------

### Further information

Medical devices as defined in Directive 93/42/EEC and which are invasive or used in direct physical contact with the human body, are exempted from the provisions of regulation (EC) No 1272/2008 (CLP/GHS) usually if they are in the finished state and intended for the final user.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures

#### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	CONC. (%w/w)	Classification
2,3-Epoxypropyl methacrylate		106-91-2	203-441-9		1-10%	Acute Tox.4: H302; Acute Tox. 3: H311; Skin Corr. 1C: H314; Skin Sens. 1: H317; Eye Dam. 1:H318; STOT SE 3:H355; Muta. 2: H341; Carc. 1B: H350; Repr. 1B: H360F; STOT RE 1: H372;
2-Hydroxyethyl methacrylate	607-124-00-X	868-77-9	212-782-2		10-20%	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317;
Hydroxypropyl Methacrylate		27813-02-1	248-666-3		10-20%	Skin Sens. 1: H317; Eye Irrit. 2: H319;
Diurethane dimethacrylate		72869-86-4	276-957-5	05-2114596843-32	10-20%	Skin Sens. 1: H317; Aquatic Chronic 2: H411;
Glycerol Dimethacrylate		1830-78-0	217-388-4		10-20%	Skin Irrit. 2: H315; Eye Irrit. 2: H319; STOT RE 3: H335;
2-Ethylhexyl 4-(dimethylamino) benzoate		21245-02-3	244-289-3		1-10%	Repr. 1A: H360;

## 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye Contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing.
Ingestion	Do NOT induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to mucous membranes. May cause irritation to respiratory system.
Eye Contact	Causes serious eye irritation.
Skin contact	Corrosive and Irritant Effects. May cause allergic reactions in susceptible people.
Ingestion	May cause irritation to mucous membranes.

### 4.3 Indication of any immediate medical attention and special treatment needed

Inhalation	Seek medical attention if irritation or symptoms persist.
Eye Contact	Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Seek medical attention if irritation or symptoms persist.

### General information

	If you feel unwell, seek medical advice (show the label where possible).
--	--

## 5. FIRE FIGHTING MEASURES

### 5.1 Extinguishing media

	Use extinguishing media appropriate to the surrounding fire conditions.
--	---

### 5.2 Special hazards arising from the substance or mixture

	Burning produces irritating, toxic and obnoxious fumes.
--	---

### 5.3 Advice for firefighters

	Wear suitable respiratory equipment when necessary.
--	---

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

	Ensure adequate ventilation of the working area. Wear suitable protective equipment.
--	--

### 6.2 Environmental precautions

	Do not allow product to enter drains. Prevent further spillage if safe.
--	---

### 6.3 Methods and material for containment and cleaning up

	Avoid raising dust. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
--	--

### 6.4 Reference to other sections

	See section 13 for disposal information. See section 8 for exposure controls/personal protection.
--	---

## 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.
--	--

### 7.2 Conditions for safe storage, including any incompatibilities

	Keep in a cool, dry, well-ventilated area. Keep containers tightly closed. Store in original container.
--	---

### 7.3 Specific end use(S)

	See section 1.2. Relevant identified uses of the substance or mixture and uses advised against for further information.
--	---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

#### 8.1.1 Exposure Limit Values

Butylated Hydroxytoluene (2,6-Di-tert-butyl-p-cresol)	WEL 8-hr limit ppm:	-	WEL 8-hr limit mg/m3:	10
	WEL 15 min limit ppm:	-	WEL 15 min limit mg/m3:	-
	WEL 8-hr limit mg/m3 total inhalable dust:	-	WEL 15 min limit mg/m3 total inhalable dust:	-
	WEL 8-hr limit mg/m3 total respirable dust:	-	WEL 15 min limit mg/m3 total respirable dust:	-

### 8.2 Exposure controls

	
--	---

#### 8.2.1 Appropriate engineering controls

	Ensure adequate ventilation of the working area.
--	--

#### 8.2.2 Individual protection measures

	Wear chemical protective clothing.
Eye/face protection	Approved safety goggles.
Skin protection – Hand protection	Chemical resistant gloves.

Respiratory protection	Wear suitable respiratory equipment when necessary.
------------------------	---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Appearance	Liquid	Vapour pressure	Not applicable.
Colour	Yellow	Vapour density	Not applicable.
Odour	Odourless/Slight	Relative density	No data available
Odour threshold	Not applicable.	Fat solubility	No data available
pH	No data available	Partition coefficient	No data available
Melting point	-10°C	Autoignition temperature	300°C
Freezing point	No data available	Viscosity	No data available
Initial boiling point	100°C	Explosive properties	No data available
Flash point	100°C	Oxidising properties	No data available
Evaporation rate	No data available	Solubility	Slightly miscible in water
Flammability (solid, gas)	No data available		

### 9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	Not applicable.
Benzene content	No data available
Lead content	No data available
VOC (Volatile organic compounds)	No data available

## 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

	No data available.
--	--------------------

### 10.2 Chemical stability

	Stable under normal conditions.
--	---------------------------------

### 10.3 Possibility of hazardous reactions

	No data is available on this product.
--	---------------------------------------

### 10.4 Conditions to avoid

	Heat. Moisture.
--	-----------------

### 10.5 Incompatible materials.

	Strong acids. Strong bases.
--	-----------------------------

### 10.6 Hazardous decomposition products

	No data available.
--	--------------------

## 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

Acute toxicity	No data available.
Skin corrosion/irritation	May cause irritation to skin.
Serious eye damage/irritation	Causes serious eye irritation.
Respiratory or skin sensitisation	May cause irritation to mucous membranes.
Germ cell mutagenicity	No mutagenic effects reported.
Carcinogenicity	No carcinogenic effects reported.
Reproductive toxicity	No teratogenic effects reported.
STOS-single exposure	No data available.
STOT-repeated exposure	No data available.
Aspiration hazard	Irritating to respiratory system.
Repeated or prolonged exposure	Irritating to skin.

**11.1.4 Toxicological Information**

2-Hydroxyethyl methacrylate	<b>ORAL Rat LD50:</b> >4000 mg/kg	<b>Dermal Rabbit LD50:</b> >3000 mg/kg
Butylated Hydroxytoluene	<b>Dermal Rat LD50:</b> >2000 mg/kg	<b>Oral Rat LD50:</b> >2000 mg/kg
Diurethane Dimethacrylate	<b>ORAL Rat LD50:</b> 5050 mg/kg	
Glycerol Dimethacrylate	<b>ORAL Rat LD50:</b> 2000 mg/kg	
Hydroxypropyl Methacrylate	<b>ORAL Rat LD50:</b> 2000 mg/kg	<b>Dermal Rabbit LD50:</b> 5000 mg/kg

**12. ECOLOGICAL INFORMATION**
**12.1 Toxicity**

2-Hydroxyethyl methacrylate	<b>Daphnia EC50/48h:</b> 380.0000 mg/l <b>Fish LC50/96h:</b> 100.0000 mg/l	<b>Algae IC50/72h:</b> 836.0000 mg/l
Butylated Hydroxytoluene	<b>Daphnia EC50/48h:</b> 0.3100 mg/l <b>Algae EC50/72h:</b> 6 mg/l	<b>Fish LC50/96h:</b> 0.1990 mg/l
Glycerol Dimethacrylate	<b>Fish LC50/96h:</b> 43.2000 mg/l	
Hydroxypropyl Methacrylate	<b>Daphnia EC50/48h:</b> 380.0000 mg/l	<b>Algae IC50/72h:</b> 97.2000 mg/l

**12.2 Persistence and degradability**

	No data is available on this product.
--	---------------------------------------

**12.3 Bio accumulative potential**

	No data is available on this product.
--	---------------------------------------

**Partition coefficient**

	<b>1 Part Bonding Agent</b> No data available	<b>2-Hydroxyethyl methacrylate</b> No data available
	<b>Diurethane dimethacrylate</b> No data available	<b>Butylated Hydroxytoluene</b> No data available

**12.4 Mobility in soil**

	No data is available on this product.
--	---------------------------------------

**12.5 Results of PBT and vPvB assessment**

	No data is available on this product.
--	---------------------------------------

**12.6 Other adverse effects**

	No data is available on this product.
--	---------------------------------------

**13. DISPOSAL CONSIDERATIONS**
**13.1 Waste treatment methods**

	Dispose of in compliance with all local and national regulations.
--	---

**General information**

	18 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except kitchen and restaurant wastes not arising from immediate health care). 18 01 wastes from natal care, diagnosis, treatment or prevention of disease in humans. 18 01 06 chemicals consisting of or containing dangerous substances.
--	---

**Disposal Methods**

	Do not empty in to drains. For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used.
--	---

**Disposal of packaging**

	Do NOT reuse empty canisters. Empty containers can be sent for disposal or recycling.
--	---

**14. TRANSPORT INFORMATION**
**14.1 UN number**

	This product is not classified as dangerous for carriage.
--	---

**14.2 UN proper shipping name**

	This product is not classified as dangerous for carriage.
--	---

**14.3 Transport hazard class(es)**

	This product is not classified as dangerous for carriage.
<b>14.4 Packing group</b>	
	This product is not classified as dangerous for carriage.
<b>14.5 Environmental hazards</b>	
	This product is not classified as dangerous for carriage.
<b>14.6 Special precautions for user</b>	
	This product is not classified as dangerous for carriage.
<b>14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	
	This product is not classified as dangerous for carriage.

## 15. REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
-------------	--

### 15.2 Chemical Safety Assessment

	No data available.
--	--------------------

## 16. OTHER INFORMATION

### Other information

Revision	This document differs from the previous version in the following areas: 2 – 2.1.2. classification – EC 1272/2008
Text of Hazard Statements in Section 3	Acute Tox. 4: H302 - Harmful if swallowed. Acute Tox. 3: H311 - Toxic in contact with skin. Skin Corr. 1C: H314 - Causes severe skin burns and eye damage. Skin Sens. 1: H317 - May cause an allergic skin reaction. Eye Dam. 1: H318 - Causes serious eye damage. STOT SE 3: H335 - May cause respiratory irritation. Muta. 2: H341 - Suspected of causing genetic defects. Carc. 1B: H350 - May cause cancer. Repr. 1B: H360F - May damage fertility. STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure. Skin Irrit. 2: H315 - Causes skin irritation. Eye Irrit. 2: H319 - Causes serious eye irritation. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. Repr. 1A: H360 - May damage fertility or the unborn child.

### Further information

The information used in this SDS is believed to be correct however, the information is provided without any warranty, neither expressed nor implied, regarding its correctness.

This SDS is relevant for large quantities of product, the instructions for safe use of quantities typically used during a normal procedure is as referenced in the Instructions for Use.

The conditions or methods for handling, storage, lone use and/or in combination with other products and disposal are beyond our control.

For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.

This SDS was prepared and is to be used only for this product. If the product is used as a component in or in combination with another product, this SDS information may not be applicable.