

Safety Data Sheet According to Regulation (EU) 2015/830

IMPORTANT

Read this MSDS before handling and disposing of this product and pass this information on to employees, customers and users of this product.

1. IDENTIFICATION

1.1 Product Identifier

Product Name Zinc Phosphate Cement Powder				
1.2 Relevant identified us	1.2 Relevant identified uses of the substance of mixture and uses advised against			
Product Use (SU22) professional uses: Public domain (administration, educa				
	entertainment, services, craftsmen); (SU20) Health services;			
Restricted Use	(SU21) Consumer Uses: Private households (=general public = consumers);			
Description	Dental Product.			
1.3 Supplier of the Safety	Data Sheet			
Company Name	Perfection Plus Ltd			
Company Address	Company Address 6 Westwood Court, Brunel Road, Totton, Hants. SO40 3WX. UK			
Company Phone No.	ny Phone No. +44 (0) 2380 866 677			
Website	Website www.perfectionplus.com			
Telephone	0044 (0) 2380 866677			
Email	Email Regulatory@perfectionplus.com			
Email address of	il address of Regulatory@perfectionplus.com			
Competent Person				
1.4 Emergency telephone	1.4 Emergency telephone number			
Emergency telephone	0044 (0) 230 866 677			
number	(8am – 5pm Monday to Friday)			

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.1.2. Classification - EC	Skin Corr. 1B: H314; Aquatic Chronic 2: H411:
1272/2008	
2.2 Label Elements	
Hazard Pictograms	
Signal Word	Warning
Hazard Statement	Aquatic Chronic 1: H410 – Very Toxic to aquatic life with long lasting effects.
Precautionary Statement: Prevention	P273 – Avoid release to the environment
Precautionary Statement:	P391 – Collect spillage
Response	
2.3 Other hazards	
Other hazards	PBT. vPvB. Not applicable.

Further information

Medical devices as defined in Directive 93/42/EEC and which are invasive or used in direct physical contact with the human body, are exempted from the provisions of regulation (EC) No 1272/2008 (CLP/GHS) usually if they are in the finished state and intended for the final user.



3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	CONC. (%w/w)	Classification
Zinc Oxide	030-013-00-7	1314-13-2	215-222-5	01-2119463881-32	80-90%	Aquatic Acute 1: H400; Aquatic Chronic 1: H410;

4. FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye Contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing.
Ingestion	Do NOT induce vomiting.
4.2 Most imp	ortant symptoms and effects, both acute and delayed
Inhalation	May cause irritation to mucous membranes.
Eye Contact	May cause irritation to eyes.
Skin contact	May cause irritation to skin.
Ingestion	May cause irritation to mucous membranes.
4.3 Indication	of any immediate medical attention and special treatment needed
Inhalation	Seek medical attention if irritation or symptoms persist.
Eye Contact	Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Seek medical attention if irritation or symptoms persist.
General inform	ation
	If you feel unwell, seek medical advice (show the label where possible).

5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

		Use extinguishing media appropriate to the surrounding fire conditions.
5.2	Special has	zards arising from the substance or mixture
		Burning produces irritating, toxic and obnoxious fumes.
5.3	Advice for	firefighters
		Wear suitable respiratory equipment when necessary.

6. ACCIDENTAL RELEASE MEASURES

6.1	Personal precautions, protective equipment and emergency procedures				
	Avoid raising dust. Ensure adequate ventilation of the working area. Wear suitable				
	protective equipment.				
6.2	Environmental precautions				
	Do not allow product to enter drains. Prevent further spillage if safe.				
6.3	5.3 Methods and material for containment and cleaning up				
	Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.				
6.4	Reference to other sections				
	See section 13 for disposal information. See section 8 for exposure controls/personal protection.				

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt
	best Manual Handling considerations when handling, carrying and dispensing.
7.2 Condition	a far safa staraga, including any incompatibilities

7.2 Conditions for safe storage, including any incompatibilities



	Keep in a cool, dry, well-ventilated area. Keep containers tightly closed. Store in original	
	container.	
7.3 Specific end use(S)		
	See section 1.2. Relevant identified uses of the substance or mixture and uses advised	
	against for further information.	

8. <u>EXPOSURE CONTROLS/PERSONAL PROTECTION</u>

8.1 Control parameters

8.1.1 Exposure Limit Values

Heavy Magnesium Oxide	WEL 8-hr limit ppm:	-	WEL 8-hr limit mg/m3:	-
(Magnesium oxide (as Mg))				
	WEL 15 min limit ppm:	-	WEL 15 min limit mg/m3:	-
	WEL 8-hr limit mg/m3 total	10	WEL 15 min limit mg/m3 total	-
	inhalable dust:		inhalable dust:	
	WEL 8-hr limit mg/m3 total	-	WEL 15 min limit mg/m3 total	-
	respirable dust:		respirable dust:	
	_			

DNE: Derived no-effect level.

Exposure Pattern-Workers

Zinc oxide	Long term – inhalation – Systemic effects	5 mg/m ³
	Long term – dermal – Systemic effects	87mg/kg

Exposure Pattern-General Population

	and a spanning of the spanning	
Zinc oxide	Long term – inhalation – Systemic effects	2.5 mg/m ³
	Long term – dermal – Systemic effects	87 bw/day
	Long term – oral – Systemic effects	0.83 bw/day

8.2 Exposure controls



8.2.1 Appropriate engineering controls			
Ens	Ensure adequate ventilation of the working area.		
8.2.2 Individual	protection measures		
	Wear chemical protective clothing.		
Eye/face protection	Approved safety goggles.		
Skin protection –	Chemical resistant gloves.		
Hand protection			
Respiratory protect	tion Wear suitable respiratory equipment when necessary.		

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Powder	Vapour pressure	Not applicable.
Colour	White/Yellow	Vapour density	Not applicable.
Odour	Odourless	Relative density	No data available
Odour threshold	Not applicable.	Fat solubility	No data available
рН	No data available	Partition coefficient	No data available
Melting point	No data available	Autoignition temperature	No data available
Freezing point	No data available	Viscosity	No data available
Initial boiling point	No data available	Explosive properties	No data available
Flash point	No data available	Oxidising properties	No data available



Evaporation rate	No data available	Solubility	Insoluble in water	
Flammability (solid, gas)	No data available			
9.2. Other information				
Conductivity		No data available		
Surface tension		No data available		
Gas group		Not applicable.	Not applicable.	
Benzene content		No data available	No data available	
Lead content		No data available	No data available	
VOC (Volatile organic compo	ounds)	No data available	No data available	

10. STABILITY AND REACTIVITY

10.1	Reactivity	,
		No data available.
10.2	Chemical s	stability
		Stable under normal conditions.
10.3	Possibility	of hazardous reactions
		No data is available on this product.
10.4	4 Conditions to avoid	
		Heat. Moisture.
10.5	Incompati	ible materials
		Strong acids. Strong bases.
10.6	Hazardous	s decomposition products
		No data available.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity	No data available.
Skin corrosion/irritation	May cause irritation to skin.
Serious eye	May cause irritation to eyes.
damage/irritation	
Respiratory of skin	May cause irritation to mucous membrances.
sensitisation	
Germ cell mutagenicity	No mutagenic effects reported.
Carcinogenicity	No carcinogenic effects reported.
Reproductive toxicity	No teratogenic effects reported.
STOT-single exposure	No data available.
STOT-repeated exposure	No data available.
Aspiration hazard	Irritating to respiratory system.
Repeated or prolonged	Irritating to skin.
exposure	

11.1.4 Toxicological Information

Heavy Magnesium Oxide	ORAL Rat LD50: 3.8 mg/kg	Dermal Rabbit LD50: >2.0 mg/kg
Zinc oxide	Dermal Rat LD50: 2000 mg/kg	Oral Rabbit LD50: 5000mg/kg

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Heavy Magnesium	Daphnia EC50/48h: 10.0000 mg/l	Fish LC50/96h: 10.0000 mg/l
Zinc oxide	Daphnia EC50/48h: 1.0000 mg/l	Algae IC50/72h: 0.1700 mg/l
	Rainbow trout LC50/96h: 330-780 mg/l	Bluegill sunfish LC50/96h: 320 mg/l
12.2 Persistence and degradability		

No data is available on this product.**12.3 Bio accumulative potential**

No data is available on this product.



Partition coefficient

	Zinc Cement Powder No data available	Zinc Oxide No data available	
12.4 Mobilit	y in soil		
	No data is available on this product.		
12.5 Results	12.5 Results of PBT and vPvB assessment		
	No data is available on this product.		
12.6 Other a	12.6 Other adverse effects		
	Toxic to aquatic life with long lasting effects.		


13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

	Dispose of in compliance with all local and national regulations.
General i	oformation
Disposal I	18 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except kitchen and restaurant wastes not arising from immediate health care). 18 01 wastes from natal care, diagnosis, treatment or prevention of disease in humans. 18 01 06 chemicals consisting of or containing dangerous substances. Methods
	Do not empty in to drains. For disposal within the EC, the appropriate code according to the
	European Waste Catalogue (EWC) should be used.
Disposal o	of packaging
	Do NOT reuse empty canisters. Empty containers can be sent for disposal or recycling.

14. TRANSPORT INFORMATION

Hazard pictograms



14.1 UN number

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID N.O.S. 14.3 Transport hazard class(es) ADR/RID 9 Subsidiary risk - IATA 9 Subsidiary risk - IATA				
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID N.O.S. 14.3 Transport hazard class(es) ADR/RID 9 Subsidiary risk - IATA 9 Subsidiary risk - IATA	UN3077			
14.3 Transport Hazard class(es) ADR/RID 9 Subsidiary risk - IMDG 9 Subsidiary risk - IATA 9 Subsidiary risk - IATA 9 Subsidiary risk - 14.4 Packing group III 14.4 Packing group III 14.5 Environmental hazards Yes Marine pollutant Yes ADR/RID Yes Hazard ID 90 Tunnel category (E) MDG Ems Code F-A S-F	14.2 UN proper s	14.2 UN proper shipping name		
ADR/RID 9 Subsidiary risk - IMDG 9 Subsidiary risk - IATA 9 Subsidiary risk - 14.4 Packing group III - 14.5 Environmental hazards Packing Group III 14.5 Environmental hazards Ves - Marine pollutant Yes ADR/RID 90 Tunnel category (E) MDG F-A S-F	E۱	VIRON	MENTALLY HAZARDOUS SUBSTANCE, SOLID N.O.S.	
Subsidiary risk - IMDG 9 Subsidiary risk - IATA 9 Subsidiary risk - IAA Packing group III III IAS Environmental hazards Yes Intervention Marine pollutant Yes Marine pollutant Yes Hazard ID 90 Tunnel category (E) MDG Intervention EmS Code F-A S-F	14.3 Transport h	azard c	lass(es)	
IMDG 9 Subsidiary risk - IATA 9 Subsidiary risk - 14.4 Packing group III - Packing Group III 14.5 Environmental hazards KorkRiD Yes Hazard ID 90 Tunnel category (E) MDG F-A S-F	ADR/RID	9		
Subsidiary risk - IATA 9 Subsidiary risk - 14.4 Packing group Packing Group III 14.5 Environmental hazards Environmental hazards Yes Marine pollutant Yes ADR/RID Hazard ID 90 Tunnel category (E) MDG EmS Code F-A S-F	Subsidiary risk	-		
IATA 9 Subsidiary risk - 14.4 Packing group III Packing Group III 14.5 Environmental hazards Yes Environmental hazards Yes Marine pollutant Yes ADR/RID 90 Tunnel category (E) MDG F-A S-F	IMDG	9		
Subsidiary risk - 14.4 Packing group III Packing Group III 14.5 Environmental hazards Environmental hazards Yes Marine pollutant Yes ADR/RID Hazard ID 90 Tunnel category (E) MDG EmS Code F-A S-F	Subsidiary risk	-		
14.4 Packing group Packing Group III 14.5 Environmental hazards Environmental hazards Yes Marine pollutant Yes ADR/RID 90 Hazard ID 90 Tunnel category (E) MDG EmS Code F-A S-F	IATA	9		
Packing Group III 14.5 Environmental hazards III Environmental hazards Yes Marine pollutant Yes ADR/RID Yes Hazard ID 90 Tunnel category (E) MDG EmS Code F-A S-F	Subsidiary risk	-		
14.5 Environmental hazards Environmental hazards Yes Marine pollutant Yes ADR/RID Yes Hazard ID 90 Tunnel category (E) MDG F-A S-F	14.4 Packing gro	up		
Environmental hazards Yes Yes Yes Yes Yes Yes Yes Yes Yes Ye	Packing Group	Ш		
Marine pollutant Yes ADR/RID Hazard ID 90 Tunnel category (E) MDG EmS Code F-A S-F	14.5 Environmen	ital haz	ards	
ADR/RID Hazard ID 90 Tunnel category (E) MDG EmS Code F-A S-F	Environmental ha	zards	Yes	
Hazard ID 90 Tunnel category (E) MDG EmS Code F-A S-F	Marine pollutant		Yes	
Tunnel category (E) MDG EmS Code F-A S-F	ADR/RID			
MDG EmS Code F-A S-F	Hazard ID	90		
EmS Code F-A S-F	Tunnel category	(E)		
	IMDG			
ATA	EmS Code	F-A S-	F	
	ΙΑΤΑ			



Packing Instruction (Cargo)	956
Maximum quantity	400 kg
Packing instruction (Passenger)	956
Maximum quantity	400kg

15. <u>REGULATORY INFORMATION</u>

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	COMMISION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No
	1907/2006 of the European Parliament and of the Council on the Registration, Evaluation,
	Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals
	Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93
	and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and
	Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. REGULATION
	(EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December
	2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
	(REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and
	repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94
	as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC,
	93/67/EEC, 93/105/EC and 2000/21/EC.
15.2 Chomical Sa	fatu Assassment

15.2 Chemical Safety Assessment

No data available.

16. OTHER INFORMATION

Other information

Text of Hazard Statements in	Aquatic Acute 1: H400 – Very toxic to aquatic life
Section 3	Aquatic Chronic 1: H410 – Very toxic to aquatic life with long lasting effects.

Further information

The information used in this SDS is believed to be correct however, the information is provided without any warranty, neither expressed nor implied, regarding its correctness.

This SDS is relevant for large quantities of product, the instructions for safe use of quantities typically used during a normal procedure is as referenced in the Instructions for Use.

The conditions or methods for handling, storage, lone use and/or in combination with other products and disposal are beyond our control.

For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.

This SDS was prepared and is to be used only for this product. If the product is used as a component in or in combination with another product, this SDS information may not be applicable.