

Safety Data Sheet According to Regulation (EU) 2015/830

IMPORTANT

Read this MSDS before handling and disposing of this product and pass this information on to employees, customers and users of this product.

1. IDENTIFICATION

1.1 Product Identifier

Product Name	Zinc Polycarboxylate Cement Powder Anhydrous
--------------	--

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product Use	(SU22) professional uses: Public domain (administration, education,					
	entertainment, services, craftsmen); (SU20) Health services;					
Restricted Use	(SU21) Consumer Uses: Private households (=general public = consumers);					
Description	Dental Product.					

1.3 Supplier of the Safety Data Sheet

Company Name	Perfection Plus Ltd
Company Address	6 Westwood Court, Brunel Road, Totton, Hants. SO40 3WX. UK
Company Phone No.	+44 (0) 2380 866 677
Website	www.perfectionplus.com
Telephone	0044 (0) 2380 866677
Email	Regulatory@perfectionplus.com
Email address of	Regulatory@perfectionplus.com
Competent Person	

1.4 Emergency telephone number

Emergency telephone	0044 (0) 230 866 677
number	(8am – 5pm Monday to Friday)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.1.2. Classification - EC	Eye Dam. 1: H318; Aquatic Chronic 1: H410;
1272/2008	

2.2 Label Elements

Hazard Pictograms	
Signal Word	Danger
Hazard Statement	Eye Dam. 1: H318 – Causes serious eye damage
	Aquatic Chronic 1: H410 – Very toxic to aquatic life with long lasting effects.
Precautionary Statement:	P273 – Avoid release to the environment
Prevention	P280 – Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement:	P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
Response	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue rinsing.

2.3 Other hazards

Other hazards	PBT. vPvB. Not applicable.	
---------------	----------------------------	--

Further information



Medical devices as defined in Directive 93/42/EEC and which are invasive or used in direct physical contact with the human body, are exempted from the provisions of regulation (EC) No 1272/2008 (CLP/GHS) usually if they are in the finished state and intended for the final user.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	CONC. (%w/w)	Classification
Zinc Oxide	030-013-00-7	1314-13-2	215-222-5	01-2119463881-32		Aquatic Acute 1: H400;
						Aquatic Chronic 1: H410;
Stannous		7783-47-3	231-999-3			Met. Corr. 1:H290; Acute
Fluoride						Tox.3: H301; Skin Irrit. 2:
						H315; Eye Dam. 1: H318;
						Aquatic Chronic 2: H411;

4. FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye Contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing.
Ingestion	Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to mucous membranes.
Eye Contact	Causes serious eye irritation.
Skin contact	Causes skin irritation.
Ingestion	May cause irritation to mucous membranes.

4.3 Indication of any immediate medical attention and special treatment needed

Inhalation	Seek medical attention if irritation or symptoms persist.
Eye Contact	Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Seek medical attention if irritation or symptoms persist.

General information

If you feel unwell, seek medical advice (show the label where possible).	
ii you icci aiiwcii, scck iiicaicai aavice (silow tiic label wiicie possibie).	

5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

		Use extinguishing media appropriate to the surrounding fire conditions.	
5.2	2 Special hazards arising from the substance or mixture		
		Burning produces irritating, toxic and obnoxious fumes.	
5.3	Advice for	firefighters	
		Wear suitable respiratory equipment when necessary.	

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid raising dust. Ensure adequate ventilation of the working area. Wear suitable
protective equipment.

6.2 Environmental precautions

6.3 Methods and material for containment and cleaning up

Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area
thoroughly with plenty of water.

6.4 Reference to other sections

See section 13 for disposal information. See section 8 for exposure controls/personal
protection.



7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.

7.2 Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well-ventilated area. Keep containers tightly closed. Store in original container.

7.3 Specific end use(S)

See section 1.2. Relevant identified uses of the substance or mixture and uses advised against for further information.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Exposure Limit Values

Heavy Magnesium Oxide (Magnesium oxide (as Mg))	WEL 8-hr limit ppm:	-	WEL 8-hr limit mg/m3:	-
	WEL 15 min limit ppm:	-	WEL 15 min limit mg/m3:	-
	WEL 8-hr limit mg/m3 total	10	WEL 15 min limit mg/m3 total	-
	inhalable dust:		inhalable dust:	
	WEL 8-hr limit mg/m3 total	-	WEL 15 min limit mg/m3 total	-
	respirable dust:		respirable dust:	

DNEL: Derived no-effect level.

Exposure Pattern-Workers

Zinc oxide	Long term – inhalation – Systemic effects	5 mg/m ³
	Long term – dermal – Systemic effects	87 mg/kg

Exposure Pattern-General Population

Zinc oxide	Long term – inhalation – Systemic effects	2.5 mg/m ³
	Long term – dermal – Systemic effects	87 bw/day
	Long term – oral – Systemic effects	0.83 bw/day

8.2 Exposure controls







8.2.1 Appropriate engineering controls

Ensure adequate ventilation of the working area.

8.2.2 Individual protection measures

	Wear chemical protective clothing.
Eye/face protection	Approved safety goggles.
Skin protection –	Chemical resistant gloves.
Hand protection	
Respiratory protection	Wear suitable respiratory equipment when necessary.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Powder	Vapour pressure	Not applicable.
Colour	White/Off white	Vapour density	Not applicable.
Odour	Odourless	Relative density	No data available
Odour threshold	Not applicable	Fat solubility	No data available



рН	No data available	Partition coefficient	No data available
Melting point	No data available	Autoignition temperature	No data available
Freezing point	No data available	Viscosity	No data available
Initial boiling point	No data available	Explosive properties	No data available
Flash point	No data available	Oxidising properties	No data available
Evaporation rate	No data available	Solubility	No data available
Flammability (solid, gas)	No data available		

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	Not applicable.
Benzene content	No data available
Lead content	No data available
VOC (Volatile organic compounds)	No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No data is available on this product.

10.4 Conditions to avoid

Heat. Moisture.

10.5 Incompatible materials

Strong acids. Strong bases.

10.6 Hazardous decomposition products

No data available.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity	No data available.
Skin corrosion/irritation	Causes skin irritation.
Serious eye	Causes serious eye irritation
damage/irritation	
Respiratory of skin	May cause irritation to mucous membranes.
sensitisation	
Germ cell mutagenicity	No mutagenic effects reported.
Carcinogenicity	No carcinogenic effects reported.
Reproductive toxicity	No teratogenic effects reported.
STOT-single exposure	No data available.
STOT-repeated exposure	No data available.
Aspiration hazard	Irritating to respiratory system.
Repeated or prolonged	Causes severe skin burns and eye damage.
exposure	

11.1.4 Toxicological Information

Heavy Magnesium Oxide	ORAL Rat LD50: 3.8 mg/kg	Dermal Rabbit LD50: >2.0 mg/kg
Stannous Fluoride	ORAL Rat LD50: 360 mg/kg	
Zinc oxide	Dermal Rat LD50: 2000 mg/kg	Oral Rabbit LD50: 5000mg/kg

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Heavy Magnesium	Daphnia EC50/48h: 10.0000 mg/l	Fish LC50/96h: 10.0000 mg/l
Zinc oxide	Daphnia EC50/48h: 1.0000 mg/l	Algae IC50/72h: 0.1700 mg/l



			- 1 1 · · · · · · · · · · · · · · · · ·	-1 11 61 1 2-2 (22) 222 //
			Rainbow trout LC50/96h: 330-780 mg/l	Bluegill sunfish LC50/96h: 320 mg/l
12.2	Persister	nce and degrada	ability	
		No data is ava	ilable on this product.	
12.3	2.3 Bio accumulative potential			
		No data is available on this product.		
<u>Partiti</u>	Partition coefficient			
		Zinc Polycarb	oxylate Anhydrous Cement No data availal	ble Zinc Oxide No data available
12.4	Mobility	in soil		
		No data is ava	ilable on this product.	
12.5	12.5 Results of PBT and vPvB assessment			
		No data is ava	ilable on this product.	
12.6	12.6 Other adverse effects			

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Dispose of in compliance with all local and national regulations.

Toxic to aquatic life with long lasting effects.

General information

18 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except kitchen and restaurant wastes not arising from immediate health care). 18 01 wastes from natal care, diagnosis, treatment or prevention of disease in humans. 18 01 06 chemicals consisting of or containing dangerous substances.

Disposal Methods


Do not empty in to drains. For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used.

Disposal of packaging

Do NOT reuse empty canisters. Empty containers can be sent for disposal or recycling.

14. TRANSPORT INFORMATION

Hazard pictograms



14.1 UN number

UN3077

14.2 UN proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID N.O.S.

14.3 Transport hazard class(es)

ADR/RID	9
Subsidiary risk	-
IMDG	9
Subsidiary risk	-
IATA	9
Subsidiary risk	-

14.4 Packing group

Packing Group III

14.5 Environmental hazards

Environmental hazards	Yes
Marine pollutant	Yes

ADR/RID



Hazard ID	90	
Tunnel category	(E)	
IMDG		
EmS Code	F-A S-F	
IATA		
Packing Instruction (Cargo) 956		956
Maximum quantity		400 kg
Packing instruction (Passenger)		956
Maximum quantity		400kg

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	COMMISION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No
	1907/2006 of the European Parliament and of the Council on the Registration, Evaluation,
	Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals
	Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93
	and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and
	Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. REGULATION
	(EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December
	2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
	(REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and
	repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94
	as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC,
	93/67/EEC, 93/105/EC and 2000/21/EC.

15.2 Chemical Safety Assessment

	No data available.
--	--------------------

16. OTHER INFORMATION

Other information

Revision	This document differs from the previous version in the following areas:. 2 - 2.1.2. Classification – EC 1272/2008
Text of Hazard Statements in Section 3	Aquatic Acute 1: H400 – Very toxic to aquatic life. Aquatic Chronic 1: H410 – Very toxic to aquatic life with long lasting effects. Met. Corr. 1: H290 – May be corrosive to metals. Acute Tox. 3: H301 – Toxic if swallowed. Skin Irrit. 2: H315 – Causes skin irritation. Eye Dam. 1: H318 – Causes serious eye damage. Aquatic Chronic 2: H411 – Toxic to aquatic life with long lasting effects.

Further information

The information used in this SDS is believed to be correct however, the information is provided without any warranty, neither expressed nor implied, regarding its correctness.

This SDS is relevant for large quantities of product, the instructions for safe use of quantities typically used during a normal procedure is as referenced in the Instructions for Use.

The conditions or methods for handling, storage, lone use and/or in combination with other products and disposal are beyond our control.

For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.

This SDS was prepared and is to be used only for this product. If the product is used as a component in or in combination with another product, this SDS information may not be applicable.