

# Safety Data Sheet According to Regulation (EU) 2015/830

#### **IMPORTANT**

Read this MSDS before handling and disposing of this product and pass this information on to employees, customers and users of this product.

## 1. IDENTIFICATION

## 1.1 Product Identifier

Product Name Eco+ Prophy Paste Mint						
1.2 <u>Relevant identified uses of the substance of mixture and uses advised against</u>						
(SU22) professional uses: Public domain (administration, education,						
entertainment, services, craftsmen);						
(SU21) Consumer Uses: Private households (=general public = consumers);						
Dental Product.						
ata Sheet						
Perfection Plus Ltd						
6 Westwood Court, Brunel Road, Totton, Hants. SO40 3WX. UK						
+44 (0) 2380 866 677						
www.perfectionplus.com						
0044 (0) 2380 866677						
Regulatory@perfectionplus.com						
Regulatory@perfectionplus.com						
Competent Person						
1.4 Emergency telephone number						
0044 (0) 230 866 677						
Emergency telephone0044 (0) 230 866 677number(8am - 5pm Monday to Friday)						

### 2. HAZARDS IDENTIFICATION

# 2.2 Label Elements

Hazard Statement	No Significant Hazard
2.3 Other hazards	
Other hazards	PBT. vPvB. Not applicable.
	·

## **Further information**

Medical devices as defined in Directive 93/42/EEC and which are invasive or used in direct physical contact with the human body, are exempted from the provisions of regulation (EC) No 1272/2008 (CLP/GHS) usually if they are in the finished state and intended for the final user.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

#### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	CONC. (%w/w)	Classification
Sodium dodecyl Sulphate		151-21-3	205-788-1	01-2119489461-32		Flam. Sol. 2: H228; Acute Tox. 4: H302+H332; Skin Irrit. 2: H315; Eye Dam. 1: H318; STOT SE 3: H335; Aquatic Chronic 3: H412;
Peppermint Oil		8006-90-4	282-015-4	01-2119974601-36		Acute Tox 4: H302; Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319; Aquatic Chronic 3: H412;

## 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures



Move the exposed person to fresh air.			
Rinse immediately with plenty of water for 15 minutes holding the eyelids open.			
Wash off immediately with plenty of soap and water. Remove contaminated clothing.			
Do NOT induce vomiting.			
ortant symptoms and effects, both acute and delayed			
May cause irritation to mucous membranes.			
May cause irritation to eyes.			
May cause irritation to skin.			
May cause irritation to mucous membranes.			
of any immediate medical attention and special treatment needed			
Seek medical attention if irritation or symptoms persist.			
Seek medical attention if irritation or symptoms persist.			
Seek medical attention if irritation or symptoms persist.			
Seek medical attention if irritation or symptoms persist.			
ation			
If you feel unwell, seek medical advice (show the label where possible).			

### 5. FIRE FIGHTING MEASURES

# 5.1 Extinguishing media

		Use extinguishing media appropriate to the surrounding fire conditions.		
5.2	5.2 Special hazards arising from the substance or mixture			
		Burning produces irritating, toxic and obnoxious fumes.		
5.3	Advice for	firefighters		
		Wear suitable respiratory equipment when necessary.		

## 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

	Ensure adequate ventilation of the working area. Wear suitable protective equipment.			
Environme	ental precautions			
	Do not allow product to enter drains. Prevent further spillage if safe.			
Methods a	and material for containment and cleaning up			
	Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area			
	thoroughly with plenty of water.			
.4 Reference to other sections				
	See section 13 for disposal information. See section 8 for exposure controls/personal			
	protection.			
	Methods a			

## 7. <u>HANDLING AND STORAGE</u>

## 7.1 Precautions for safe handling

	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt					
		best Manual Handling considerations when handling, carrying and dispensing.				
7.2	7.2 Conditions for safe storage, including any incompatibilities					
		Keep in a cool, dry, well-ventilated area. Keep containers tightly closed. Store in original container.				
7.3	7.3 Specific end use(S)					
		See section 1.2. Relevant identified uses of the substance or mixture and uses advised against for further information.				

## 8. <u>EXPOSURE CONTROLS/PERSONAL PROTECTION</u>

#### 8.1 Control parameters

8.1.1 Exposure Limit Values

Calcium carbonate	WEL 8-hr limit ppm:	-	WEL 8-hr limit mg/m3:	-			
	WEL 15 min limit ppm:	-	WEL 15 min limit mg/m3:	-			
	WEL 8-hr limit mg/m3 total	10	WEL 15 min limit mg/m3 total	-			



	inhalable dust:		inhalable dust:	
	WEL 8-hr limit mg/m3 total	4	WEL 15 min limit mg/m3 total	-
	respirable dust:		respirable dust:	
Calcium carbonate	WEL 8-hr limit ppm:	-	WEL 8-hr limit mg/m3:	-
(Limestone)				
	WEL 15 min limit ppm:	-	WEL 15 min limit mg/m3:	-
	WEL 8-hr limit mg/m3 total	10	WEL 15 min limit mg/m3 total	-
	inhalable dust:		inhalable dust:	
	WEL 8-hr limit mg/m3 total	4	WEL 15 min limit mg/m3 total	-
	respirable dust:		respirable dust:	
Calcium carbonate (Marble)	WEL 8-hr limit ppm:	-	WEL 8-hr limit mg/m3:	-
	WEL 15 min limit ppm:	-	WEL 15 min limit mg/m3:	-
	WEL 8-hr limit mg/m3 total	10	WEL 15 min limit mg/m3 total	-
	inhalable dust:		inhalable dust:	
	WEL 8-hr limit mg/m3 total	4	WEL 15 min limit mg/m3 total	-
	respirable dust:		respirable dust:	
Glycerine (Glycerol, mist)	WEL 8-hr limit ppm:	-	WEL 8-hr limit mg/m3:	10
	WEL 15 min limit ppm:	-	WEL 15 min limit mg/m3:	-
	WEL 8-hr limit mg/m3 total	-	WEL 15 min limit mg/m3 total	-
	inhalable dust:		inhalable dust:	
	WEL 8-hr limit mg/m3 total	-	WEL 15 min limit mg/m3 total	-
	respirable dust:		respirable dust:	

## 8.2 Exposure controls



8.2.1 Appropriate engineering controls			
	Ensuro adoquato vontilatio		

Ensure adequate ventilation of the working area.				
8.2.2 Individual prote	8.2.2 Individual protection measures			
	Wear chemical protective clothing.			
Eye/face protection	Approved safety goggles.			
Skin protection –	Chemical resistant gloves.			
Hand protection				
Respiratory protection	Wear suitable respiratory equipment when necessary.			

## 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1. Information on basic physical and chemical properties

Appearance	Paste	Vapour pressure	Not applicable.
Odour	Characteristic	Vapour density	Not applicable.
Odour threshold	Not applicable.	Relative density	No data available
рН	No data available	Fat solubility	No data available
Melting point	No data available	Partition coefficient	No data available
Freezing point	No data available	Autoignition temperature	Not applicable.
Initial boiling point	No data available	Viscosity	No data available
Flash point	Not applicable.	Explosive properties	Not applicable.
Evaporation rate	No data available	Oxidising properties	Not applicable.
Flammability (solid, gas)	Not applicable.	Solubility	Soluble in water
9.2. Other information			•
Conductivity		No data available	
Surface tension		No data available	

#### Perfection Plus Ltd 6 Westwood Court, Brunel Road, Totton, Hampshire, SO40 3WX, UK



Gas group	Not applicable.
Benzene content	No data available
Lead content	No data available
VOC (Volatile organic compounds)	No data available

## 10. STABILITY AND REACTIVITY

## 10.1 Reactivity

10.1	Neactivit	ý	
		No data available.	
10.2	Chemical	al stability	
		Stable under normal conditions.	
10.3	Possibilit	bility of hazardous reactions	
		No data is available on this product.	
10.4	Conditio	ns to avoid	
		Heat. Moisture.	
10.5	Incompa	ncompatible materials	
		No data available.	
10.6	Hazardou	Hazardous decomposition products	
		No data available.	

## 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

Acute toxicity	No data available.
Skin corrosion/irritation	May cause irritation to skin.
Serious eye damage/irritation	May cause irritation to eyes.
Respiratory of skin sensitisation	May cause irritation to mucous membranes.
Germ cell mutagenicity	No mutagenic effects reported.
Carcinogenicity	No carcinogenic effects reported.
Reproductive toxicity	No teratogenic effects reported.
STOT-single exposure	No data available.
STOT-repeated exposure	No data available.
Aspiration hazard	May cause irritation to mucous membranes.
Repeated or prolonged exposure	No data available.

## 11.1.4 Toxicological Information

Calcium carbonate	<b>Oral Rat LD50</b> : 5000 mg/kg	
Glycerine	<b>Oral Rat LD50</b> : 12600 mg/kg	

#### 12. ECOLOGICAL INFORMATION

#### 12.1 Toxicity

Calcium carbonate		Daphnia EC50/48h: 1.0000 mg/l	Algae IC50/72h: 72.0000 mg/l
		Fish LC50/96h: 10.0000 mg/l	
Glycerine		Daphnia EC50/48h: 10000.0000 mg/l Fish LC50/96h: 5000.0000 mg/l	Algae IC50/72h: 2900.0000 mg/l
12.2 Persistence and degradability			
No data is available on this product.			

# 12.3 Bio accumulative potential

No data is available on this product.

## Partition coefficient

Eco+ Prophy Paste Mint No data available

#### 12.4 Mobility in soil

No data is available on this product.



#### 12.5 Results of PBT and vPvB assessment

	No data is available on this product.	
12.6 Other adverse effects		
	No data is available on this product.	

#### 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

	Dispose of in compliance with all local and national regulations.
General i	nformation
	18 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except kitchen and restaurant wastes not arising from immediate health care). 18 01 wastes from natal care, diagnosis, treatment or prevention of disease in humans. 18 01 06 chemicals consisting of or containing dangerous substances.
Disposal	Methods
	Do not empty into drains. For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used.
Disposal	of packaging
	Do NOT reuse empty canisters. Empty containers can be sent for disposal or recycling.

# 14. TRANSPORT INFORMATION

#### 14.1 UN number

		The product Is not classified as dangerous for carriage.	
14.2	4.2 UN proper shipping name		
		The product Is not classified as dangerous for carriage.	
14.3	Transpo	rt hazard class(es)	
		The product Is not classified as dangerous for carriage.	
14.4	4.4 Packing group		
		The product Is not classified as dangerous for carriage.	
14.5	Environr	nental hazards	
		The product Is not classified as dangerous for carriage.	
14.6	4.6 Special precautions for user		
		The product Is not classified as dangerous for carriage.	
14.7	Transpo	rt in bulk according to Annex II of MARPOL 73/78 and the IBC Code	
		The product Is not classified as dangerous for carriage.	

## 15. <u>REGULATORY INFORMATION</u>

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	COMMISION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No
Regulations	
	1907/2006 of the European Parliament and of the Council on the Registration, Evaluation,
	Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals
	Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93
	and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and
	Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. REGULATION
	(EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December
	2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
	(REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and
	repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94
	as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC,
	93/67/EEC, 93/105/EC and 2000/21/EC.
15.2 Chemical Sa	afety Assessment

No data available.

#### 16. OTHER INFORMATION



## Other information

Revision	This document differs from the previous version in the following areas:.
	12-12.1 Toxicity.
Text of Hazard Statements in	Flam. Sol. 2: H228 - Flammable solid.
Section 3	Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled
	Skin Irrit. 2: H315 - Causes skin irritation.
	Eye Dam. 1: H318 - Causes serious eye damage.
	STOT SE 3: H335 - May cause respiratory irritation.
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
	Acute Tox. 4: H302 - Harmful if swallowed.
	Skin Sens. 1: H317 - May cause an allergic skin reaction.
	Eye Irrit. 2: H319 - Causes serious eye irritation.

#### **Further information**

The information used in this SDS is believed to be correct however, the information is provided without any warranty, neither expressed nor implied, regarding its correctness.

This SDS is relevant for large quantities of product, the instructions for safe use of quantities typically used during a normal procedure is as referenced in the Instructions for Use.

The conditions or methods for handling, storage, lone use and/or in combination with other products and disposal are beyond our control.

For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.

This SDS was prepared and is to be used only for this product. If the product is used as a component in or in combination with another product, this SDS information may not be applicable.